




	Model type
	XL
H (mm)	2045
B (mm)	894
T (mm)	747
T1 (mm)	1535
Doors	1
Empty weight (kg)	475

Outer dimensions



Sprzedaz i serwis

ul. Marecka 66a
05-220 Zielonka
+48 22 771 04 56
info@topserw.pl
www.topserw.pl

This drawing is our property!
Furnish this information to other
persons and reproduce or copy is
not permitted without our
written permission.


Düperthal Sicherheitstechnik
Frankenstrasse 3
D-63791 Karlstein

title: Safety cabinet type 90
COOL dual XL



drawing no.: 000111306

page: 1 of 5

revision: 00 date: 2021-03-31



 **DÜPERTHAL**



	Model type
	XL
H1 (mm)	628
H2 (mm)	11 Settings in the grid 32
BS1 (mm)	460
BS2 (mm)	450
TS1 (mm)	294
TS2 (mm)	410
M (kg)	40
L (l)	5
V (l)	5,5
Number of glass shelves	2x 3
Max. payload (kg)	240
Max. permissible total weight (kg)	715

H1: Adjustable height above shelf
 H2: Grid height for glass storage shelf
 BS1: Glass storage shelf standing surface width
 BS2: Shelf standing surface width
 TS1: Glass shelf standing surface depth
 TS2: Shelf standing surface depth
 M: Standing surface load bearing capacity
 L: Max. volume of largest individual container
 V: Max. collection volume


Technical and electrical data	Mode type
	XL
Cooling area volume (m ³)	2x 0,13
Refrigerant / Refrigerant quantity (g)	R600a / 2x 24
Temperature range (°C)	+3 - +15
Climate class	7
Connection voltage (V)	220 - 240
Frequency (Hz)	50
Current consumption (A)	1,0
Connector type (venting system)	Typ F (CEE 7/4)
Connecting cable length (m)	1,80



Sprzedaż i serwis
 ul. Marecka 66a
 05-220 Zielonka
 +48 22 771 04 56
 info@topserw.pl
 www.topserw.pl

Inner dimensions

This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.		title: Safety cabinet type 90 COOL dual XL	
drawing no.: 000111306	page: 2 of 5		
revision: 00	date: 2021-03-31		
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein			



NW: 110, with adapter 75
 AB: Exhaust air connection
 ZU: Supply air
 TH: Thermocouple



Sprzedaż i serwis
 ul. Marecka 66a
 05-220 Zielonka
 +48 22 771 04 56
 info@topserw.pl
 www.topserw.pl

Ventilation connetion

This drawing is our property!
 Furnish this information to other
 persons and reproduce or copy is
 not permitted without our
 written permission.


Düperthal Sicherheitstechnik
 Frankenstrasse 3
 D-63791 Karlstein

title: Safety cabinet type 90
 COOL dual XL


drawing no.: 000111306

page: 3 of 5

revision: 00 date: 2021-03-31



 **DÜPERTHAL**



● Loaded footprint

Geometry of the adjustable feet



Sprzedaż i serwis

ul. Marecka 66a
05-220 Zielonka
+48 22 771 04 56
info@topserw.pl
www.topserw.pl

This drawing is our property!
Furnish this information to other
persons and reproduce or copy is
not permitted without our
written permission.


Düperthal Sicherheitstechnik
Frankenstrasse 3
D-63791 Karlstein

title: Safety cabinet type 90
COOL dual XL


drawing no.: 000111306

page: 4 of 5


revision: 00 date: 2021-03-31



 **DÜPERTHAL**



Top view



Ex-Zones



Sprzedaż i serwis

ul. Marecka 66a
05-220 Zielonka
+48 22 771 04 56
info@topserw.pl
www.topserw.pl

This drawing is our property!
Furnish this information to other
persons and reproduce or copy is
not permitted without our
written permission.


Düperthal Sicherheitstechnik
Frankenstrasse 3
D-63791 Karlstein

title: Safety cabinet type 90
COOL dual XL

drawing no: 000111306

page: 5 of 5

revision: 00 date: 2021-03-31



DÜPERTHAL