






	Model type							
	S	S-5	M	M-5	L	L-5	XL (CPW)	XL-5 (CPW)
H (mm)	631	631	631	631	631	631	631	631
B (mm)	601	601	889	889	1100	1100	1400	1400
T (mm)	594	494	594	494	594	494	594	494
T1 (mm)	1170	1070	1013	913	1119	1019	1119	1019
T2 (mm)	-	-	1013	913	1119	1019	993	893
T3 (mm)	-	-	-	-	-	-	986	886
Doors	1	1	2	2	2	2	3	3
Tare weight (kg)	110	100	150	135	180	165	225	205
Inside cabinet volume (m³)	0,11	0,09	0,17	0,14	0,22	0,17	0,29	0,23

CPW: Centre partition wall

* Standard base height (see page 4)

Outer dimensions



Sprzedaż i serwis
 ul. Marecka 66a
 05-220 Zielonka
 +48 22 771 04 56
 info@topserw.pl
 www.topserw.pl

This drawing is our property!
 Furnish this information to other
 persons and reproduce or copy is
 not permitted without our
 written permission.



Düperthal Sicherheitstechnik
 Frankenstrasse 3
 D-63791 Karlstein

title: UTS standard
 Type 90, safety cabinet with wing door(s)

drawing no.: 000106409 page: 1 of 4

revision: 01 date: 2020-05-28

DÜPERTHAL



	Model type							
	S	S-5	M	M-5	L	L-5	XL (CPW)	XL-5 (CPW)
H1 (mm)	380	380	380	380	380	380	380	380
BS (mm)	480	480	767	767	980	980	767 / 471	767 / 471
TS (mm)	424	324	424	324	424	324	424	324
M (kg)	60	60	60	60	60	60	60	60
Max. additional load (kg)	60	60	60	60	60	60	120	120
L (l)	12	9	19	14	24	19	19 / 12	14 / 9
V (l)	13,2	10,4	21,3	16,4	27,2	20,9	21,3 / 13,2	16,4 / 10,2
Number of storage areas	1	1	1	1	1	1	2	2

H1: Max. setting height
 BS: Width storage area
 TS: Depth storage area
 M: Load bearing capacity per storage area (uniformly distributed)
 L: Max. volume of the individual container
 V: Max. collection volume
 CPW: Centre partition wall



Sprzedaż i serwis
 ul. Marecka 66a
 05-220 Zielonka
 +48 22 771 04 56
 info@topserw.pl
 www.topserw.pl

Inner dimensions

This drawing is our property!
 Furnish this information to other
 persons and reproduce or copy is
 not permitted without our
 written permission.

Düperthal Sicherheitstechnik
 Frankenstrasse 3
 D-63791 Karlstein

title: UTS standard
 Type 90, safety cabinet with wing door(s)


drawing no.: 000106409

page: 2 of 4

revision: 01

date: 2020-05-28





	Model type							
	S	S-5	M	M-5	L	L-5	XL (CPW)	XL-5 (CPW)
A1 (mm)	304	304	304	304	304	304	604	604

NW: 75
AB: Exhaust air connection
ZU: Supply air
CPW: Centre partition wall

Ventilation connection



Sprzedaż i serwis
ul. Marecka 66a
05-220 Zielonka
+48 22 771 04 56
info@topserw.pl
www.topserw.pl

This drawing is our property!
Furnish this information to other
persons and reproduce or copy is
not permitted without our
written permission.


Düperthal Sicherheitstechnik
Frankenstrasse 3
D-63791 Karlstein

title: UTS standard
Type 90, safety cabinet with wing door(s)


drawing no.: 000106409 page: 3 of 4
revision: 01 date: 2020-05-28







External floor



Classical base



ToeKick-base



Sprzedaż i serwis

ul. Marecka 66a
05-220 Zielonka
+48 22 771 04 56
info@topserw.pl
www.topserw.pl

	Variable base versions		
	External Floor	Classical base	ToeKick-base
HS (mm)	3	20 to 135	60 to 135

Base versions

This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.		title: UTS standard Type 90, safety cabinet with wing door(s)	
		drawing no: 000106409	page: 4 of 4
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein		revision: 01	date: 2020-05-28